



KRY BEARING AFRICA PRIVATE LTD.



239/600 CAK/C08W507 Bearing 2D drawings and 3D CAD models

23.622 Inch | 600 Millimeter x 31.496 Inch | 800 Millimeter x 5.906 Inch | 150 Millimeter SKF
239/600 CAK/C08W507 Spherical Roller Bearings

Bearing No. 239/600 CAK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	274.4
EAN	7316577650290
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Adapter Part Number - Millimeter	H39/600 (Specify bore)
Withdrawal Sleeve	AH39/600 (Specify bore)
Inch - Metric	Metric
Long Description	600MM Tapered Bore; 800MM Outside Diameter; 150MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure;



KRY BEARING AFRICA PRIVATE LTD.

	Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	http://www.skf.com
Weight / LBS	604.948
d	23.622 Inch 600 Millimeter
D	31.496 Inch 800 Millimeter
B	5.906 Inch 150 Millimeter
bore diameter:	300 mm
maximum rpm:	1600 RPM
outside diameter:	420 mm
operating temperature range:	Maximum of +390 ° F
overall width:	90 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole
outer ring width:	90 mm
dynamic load capacity:	1370 kN



KRY BEARING AFRICA PRIVATE LTD.

fillet radius:	2.5 mm
static load capacity:	2500 kN
series:	239