



# KRY BEARING AFRICA PRIVATE LTD.



23076 CACK/C08W507 Bearing 2D drawings and 3D CAD models

14.961 Inch | 380 Millimeter x 22.047 Inch | 560 Millimeter x 5.315 Inch | 135 Millimeter SKF 23076 CACK/C08W507 Spherical Roller Bearings

Bearing No. 23076 CACK/C08W507

Category	Spherical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	130.4
EAN	7316577612458
Product Group	B04311
Internal Clearance	C0-Medium
Mounting Method	Adapter Mount
Rolling Element	Spherical Roller Bearing
Bore Profile	Tapered
Cage Material	Bronze
Enclosure	Open
Number of Rows of Rollers	Double Row
Relubricatable	Yes
Withdrawal Sleeve	AH3076 AOH3076 (Specify bore)
Withdrawal Nut	HML82T
Inch - Metric	Metric
Long Description	380MM Tapered Bore; 560MM Outside Diameter; 135MM Width; C0-Medium Clearance; Adapter Mount; Double Row of Spherical Roller Bearings; Bronze Cage Material; Open Enclosure;



## KRY BEARING AFRICA PRIVATE LTD.

	Relubricatable; Adapter Part
Other Features	Order adapter or withdrawal sleeve or nut separately. Others may be available
Category	Spherical Roller Bearing
UNSPSC	31171510
Harmonized Tariff Code	84823080
Noun	Bearing
Keyword String	Spherical
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Weight / LBS	287.482
D	22.047 Inch   560 Millimeter
B	5.315 Inch   135 Millimeter
Adapter Part Number	SNP3076 H3076 (Specify Bore) Inch   H3076 (Specify bore) Millimeter
d	14.961 Inch   380 Millimeter
bore diameter:	380 mm
maximum rpm:	1200 RPM
outside diameter:	560 mm
operating temperature range:	Maximum of +390 ° F
overall width:	135 mm
cage material:	Brass
bore type:	Tapered 1:12
bearing material:	Steel
outer ring type:	Not Split
cage type:	Inner Ring Guided
internal clearance:	C1
precision rating:	Not Rated
closure type:	Open
finish/coating:	Uncoated
lubrication hole type:	Lubrication Groove & Hole



## KRY BEARING AFRICA PRIVATE LTD.

outer ring width:	135 mm
dynamic load capacity:	2900 kN
fillet radius:	4 mm
static load capacity:	5000 kN
series:	230